Advertisement For Bids

Sealed proposals for the following contract will be received by the Department of Transportation, State of Delaware, in the Bidders Room (Room B1.11.01) in the DelDOT Transportation Administration Center, 800 Bay Road, US Route 113 South, Dover, DE until 2:00 P.M. Local Time, Tuesday, August 10, 2010, and thereafter be publicly opened:

Contract No. T200800707

Federal Aid Project No. ESTP-N212 (2)
SILVERSIDE ROAD AND MARSH ROAD
COMPLETION DATE: 47 Calendar Days
Cost of Contract Documents: \$27.50
New Castle County
DBE GOALS: 12.0%

PROSPECTIVE BIDDER'S NOTE:

No retainage will be withheld on this contract. This project will comply with Executive Order 11246.

The Department has adopted an External Complaint Procedure. The procedure can be viewed on our website by clicking here or you may request a copy by calling (302) 760-2555.

ELECTRONIC BIDDING

Bidders wishing to use the Windows-compatible electronic bidding software should request a bid file disk and installation disk if needed, from the Competitively Bid Contracts Coordinator at the email address or phone number listed at the bottom of this Advertisement. Alternately, the installation software may be downloaded by clicking here.

THIS PROJECT WORKS WITH CIVIC LEADERS, BUSINESS REPRESENTATIVES, POLITICAL LEADERS, AND PRIVATE CITIZENS TO IMPLEMENT A PLAN TO ADDRESS SAFETY ISSUES RELATED TO COMMERCIAL DRIVEWAYS AND CLOSELY SPACED INTERSECTIONS. THIS PROJECT INCLUDES THE RESTRIPING OF MARSH ROAD BETWEEN SILVERSIDE ROAD AND VEALE/WILSON ROADS AS ONE LANE IN EACH DIRECTION, WITH A TWO-WAY LEFT TURN LANE TO IMPROVE SAFETY OF THE TURNING MOVEMENTS INTO THE SURROUNDING BUSINESSES. MODIFICATIONS TO THE ENTRANCES OF THE SHOPPING CENTERS LOCATED ON SILVERSIDE ROAD, JUST WEST OF MARSH ROAD ARE BEING PROPOSED TO REDUCE THE NUMBER OF ACCIDENTS ASSOCIATED WITH THE ENTRANCES. PEDESTRIAN IMPROVEMENTS WILL ALSO BE MADE WHICH INCLUDE THE ADDITION OF SIDEWALK, CURB RAMPS, AND CROSSWALKS IN SPECIFIED LOCATIONS.

Item Quantity	Item UOM No	Item Description
1	LS	CLEARING AND GRUBBING

281 CY EXCAVATION AND EMBANKMENT 49 CY BORROW, TYPE F 1 LS REMOVAL OF STRUCTURES AND OBSTRUCTIONS 85 LF SILT FENCE 10 EACH INLET SEDIMENT CONTROL, DRAINAGE INLET 175 CY GRADED AGGREGATE BASE COURSE, TYPE B 47 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 25 TON SUPERPAVE, TYPE B HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 33 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 46-22, PATCHING 50 SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 64-2			
1 LS REMOVAL OF STRUCTURES AND OBSTRUCTIONS 85 LF SILT FENCE 10 EACH INLET SEDIMENT CONTROL, DRAINAGE INLET 175 CY GRADED AGGREGATE BASE COURSE, TYPE B 47 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 25 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 64-22, PATCHING 33 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 47 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 48 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, 1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 1027 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 360 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	281	CY	EXCAVATION AND EMBANKMENT
85 LF SILT FENCE 10 EACH INLET SEDIMENT CONTROL, DRAINAGE INLET 175 CY GRADED AGGREGATE BASE COURSE, TYPE B 47 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 25 TON SUPERPAVE, TYPE B HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 33 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 696 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 76 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	49	CY	BORROW, TYPE F
10 EACH INLET SEDIMENT CONTROL, DRAINAGE INLET 175 CY GRADED AGGREGATE BASE COURSE, TYPE B 47 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 25 TON SUPERPAVE, TYPE B HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 33 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 64-22, PATCHING 496 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 64-22, 1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 11 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	1	LS	REMOVAL OF STRUCTURES AND OBSTRUCTIONS
175 CY GRADED AGGREGATE BASE COURSE, TYPE B 47 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 25 TON SUPERPAVE, TYPE B HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 33 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 64-22, PATCHING 34 TON SUPERPAVE, BYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 76 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	85	LF	SILT FENCE
TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 25 TON SUPERPAVE, TYPE B HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 33 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 160 GYRATIONS, PG 64-22, 1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 1038 INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 104 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	10	EACH	INLET SEDIMENT CONTROL, DRAINAGE INLET
TON 64-22, PATCHING 25 TON SUPERPAVE, TYPE B HOT-MIX, 160 GYRATIONS, PG 64-22, PATCHING 33 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 696 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, 1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 4" 345 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	175	CY	GRADED AGGREGATE BASE COURSE, TYPE B
TON 64-22, PATCHING 33 TON SUPERPAVE, BITUMINOUS CONCRETE BASECOURSE, 160 GYRATIONS, PG 696 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, 1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 76 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	47	TON	
10N 160 GYRATIONS, PG 696 TON SUPERPAVE, TYPE C HOT-MIX, 160 GYRATIONS, PG 64-22, 1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 4" 345 SF CURB RAMP, TYPE 5 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	25	TON	
1027 LF PORTLAND CEMENT CONCRETE CURB, TYPE 1 76 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 306 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	33	TON	· ·
10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2 10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	696	TON	· · · · · · · · · · · · · · · · · · ·
10 LF INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE	1027	LF	PORTLAND CEMENT CONCRETE CURB, TYPE 1
10 LF AND GUTTER, TYPE 3 1836 SF P.C.C. SIDEWALK, 4" 345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	76	LF	
345 SF P.C.C. SIDEWALK, 6" 80 SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE	10	LF	
SF SIDEWALK SURFACE DETECTABLE WARNING SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE	1836	SF	P.C.C. SIDEWALK, 4"
SF SYSTEM 145 SF CURB RAMP, TYPE 5 1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	345	SF	P.C.C. SIDEWALK, 6"
1 EACH ADJUSTING AND REPAIRING EXISTING DRAINAGE INLET 9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	80	SF	
9 EACH ADJUSTING CATCH BASINS 2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	145	SF	CURB RAMP, TYPE 5
2 EACH ADJUSTING MANHOLES 1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	1	EACH	
1 EACH ADJUST AND REPAIR EXISTING SANITARY MANHOLE 1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	9	EACH	ADJUSTING CATCH BASINS
1611 EADY PLASTIC DRUMS 155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	2	EACH	ADJUSTING MANHOLES
155 LF CONSTRUCTION SAFETY FENCE 305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	1	EACH	ADJUST AND REPAIR EXISTING SANITARY MANHOLE
305 SY TOPSOIL, 6" DEPTH 305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	1611	EADY	PLASTIC DRUMS
305 SY PERMANENT GRASS SEEDING, DRY GROUND 305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	155	LF	CONSTRUCTION SAFETY FENCE
305 SY SOIL RETENTION BLANKET MULCH, TYPE 3 488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	305	SY	TOPSOIL, 6" DEPTH
488 HOUR FLAGGER, NEW CASTLE COUNTY, STATE 98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	305	SY	PERMANENT GRASS SEEDING, DRY GROUND
98 HOUR FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME	305	SY	SOIL RETENTION BLANKET MULCH, TYPE 3
	488	HOUR	FLAGGER, NEW CASTLE COUNTY, STATE
19 EADY ARROWPANELS, TYPE C	98	HOUR	FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME
	19	EADY	ARROWPANELS, TYPE C

28	EADY	FURNISH AND MAINTAIN PORTABLE CHANGEABLE
20	LADI	FURNISH AND MAINTAIN PORTABLE LIGHT
145	EADY	ASSEMBLY
1589	EADY	WARNING LIGHTS , TYPE B
26	EACH	WARNING SIGNS
4767	LFDY	TEMPORARY BARRICADE, TYPE III
46	EADY	FURNISH AND MAINTAIN TRUCK MOUNTED ATTENUATOR, TYPE I
342	EADY	TEMPORARY WARNING SIGNS
5	EACH	CONDUIT JUNCTION WELL, TYPE 1, 20" X 20" PRECAST CONCRETE
1	EACH	CONDUIT JUNCTION WELL, TYPE 4, 20" X 42 1/2" PRECAST
6	EACH	REMOVAL OF EXISTING JUNCTION WELL
413	LF	SUPPLY OF 2 1/2" GALVANIZED STEEL CONDUIT
30	LF	SUPPLY OF 2" GALVANIZED STEEL CONDUIT
10	LF	SUPPLY OF 1 1/2" GALVANIZED STEEL CONDUIT
215	LF	INSTALLATION OF CONDUIT UNDER EXISTING PAVEMENT-DIRECTIONAL
158	LF	INSTALLATION OF CONDUIT IN UNPAVED TRENCH
40	LF	INSTALLATION OF ADDITIONAL CONDUITSIN TRENCH OR OPEN CUT
2	EACH	RELOCATING LIGHT POLE
2	CY	REMOVAL OF CONCRETE POLE BASES AND CABINET FOUNDATIONS
4	EACH	POLE BASE, TYPE 3
4	EACH	POLE BASE, TYPE 4
120	LF	PAINTING OF WHITE OR YELLOW, 4" LINE
1117	SF	PERMANENT PAVEMENT STRIPING, SYMBOL/LEGEND ALKYD-THERMOPLAST
7310	LF	TEMPORARY MARKINGS, PAINT, 4"
810	SF	TEMPORARY MARKINGS, PAINT SYMBOL/LEGEND
3962	LF	PERMANENT PAVEMENT STRIPING, EPOXY RESIN PAINT, 4"
4	EACH	PREFORMED RETROREFLECTIVE THERMOPLASTIC PAVEMENT
65	EACH	INSTALLATION OR REMOVAL OF TRAFFIC SIGN(S) ON

		SINGLE
278	SY	REMOVAL OF EXISTING PORTLAND CEMENTCONCRETE PAVEMENT, CURB,
11846	SYIN	PROFILE MILLING, HOT-MIX
1870	LF	SAW CUTTING, HOT MIX
39	LF	SAW CUTTING, CONCRETE, FULL DEPTH
1	LS	INITIAL EXPENSE
1	LS	MAINTENANCE OF TRAFFIC
1	LS	CONSTRUCTION ENGINEERING
375	HOUR	TRAFFIC OFFICERS

Plans, Specifications, and Bidding Proposals may be obtained from:
Scott S. Gottfried, Competitively Bid Contracts Coordinator
Contract Administration
Delaware Department of Transportation
P.O. Box 778

Dover, DE 19903 (302) 760-2030 FAX (302) 739-2254

scott.gottfried@state.de.us

Checks should be made payable to Department of Transportation. Contract documents cannot be returned once ordered. Cost of contract documents is not refundable.

The Department of Transportation will affirmatively insure individuals and businesses will not be discriminated against on the grounds of race, creed, color, sex, sexual orientation, or national origin in consideration for an award. Minority business enterprises will be afforded full opportunity to submit bids/proposals in response to this invitation.

When it is in the best interest of the State, DelDOT may extend the time and place for the opening of bids from that described above, on not less than two calendar days' notice by certified delivery, facsimile transmission, or by other verifiable electronic means to those bidders who obtained copies of the Plans, Specifications, Proposals or contract descriptions.

DEPARTMENT OF TRANSPORTATION STATE OF DELAWARE BY: Carolann Wicks, Secretary DOVER, DE July 19, 2010